

Schema documentation for GT_Complemento_Exportaciones-0.1.0.xsd

august 19, 2019

Table of Contents

Namespace: "http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0"	1
Schema(s)	1
Main schema GT_Complemento_Exportaciones-0.1.0.xsd	1
Element(s)	1
Element cex:Exportacion	1
Element cex:Exportacion / cex:NombreConsignatarioODestinatario	3
Element cex:Exportacion / cex:DireccionConsignatarioODestinatario	4
Element cex:Exportacion / cex:CodigoConsignatarioODestinatario	4
Element cex:Exportacion / cex:NombreComprador	4
Element cex:Exportacion / cex:DireccionComprador	5
Element cex:Exportacion / cex:CodigoComprador	5
Element cex:Exportacion / cex:OtraReferencia	5
Element cex:Exportacion / cex:INCOTERM	6
Element cex:Exportacion / cex:NombreExportador	6
Element cex:Exportacion / cex:CodigoExportador	6
Simple Type(s)	7
Simple Type cex:INCOTERMTType	7
Simple Type cex:VersionType	7
Simple Type cex:NonNegativeFloat	8
Namespace: ""	8
Attribute(s)	8
Attribute cex:Exportacion / @Version	8

Namespace: "http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0"

Schema(s)

Main schema GT_Complemento_Exportaciones-0.1.0.xsd


Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0
Properties	attribute form default: unqualified
	element form default: qualified

Element(s)

Element cex:Exportacion

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0
Annotations	Definición Global de complemento de exportación

Diagram



Properties	content: complex				
Model	cex:NombreConsignatarioODestinatario , cex:DireccionConsignatarioODestinatario , cex:CodigoConsignatarioODestinatario{0,1} , cex:NombreComprador{0,1} , cex:DireccionComprador{0,1} , cex:CodigoComprador{0,1} , cex:OtraReferencia{0,1} , cex:INCOTERM , cex:NombreExportador{0,1} , cex:CodigoExportador{0,1}				
Children	cex:CodigoComprador, cex:CodigoConsignatarioODestinatario, cex:CodigoExportador, cex:DireccionComprador, cex:DireccionConsignatarioODestinatario, cex:INCOTERM, cex:NombreComprador, cex:NombreConsignatarioODestinatario, cex:NombreExportador, cex:OtraReferencia				
Instance	<pre><cex:Exportacion Version="1" xmlns:cex="http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0"> <cex:NombreConsignatarioODestinatario>{1,1}</cex:NombreConsignatarioODestinatario> <cex:DireccionConsignatarioODestinatario>{1,1}</cex:DireccionConsignatarioODestinatario> <cex:CodigoConsignatarioODestinatario>{0,1}</cex:CodigoConsignatarioODestinatario> <cex:NombreComprador>{0,1}</cex:NombreComprador> <cex:DireccionComprador>{0,1}</cex:DireccionComprador> <cex:CodigoComprador>{0,1}</cex:CodigoComprador> <cex:OtraReferencia>{0,1}</cex:OtraReferencia> <cex:INCOTERM>{1,1}</cex:INCOTERM> <cex:NombreExportador>{0,1}</cex:NombreExportador> <cex:CodigoExportador>{0,1}</cex:CodigoExportador> </cex:Exportacion></pre>				
Attributes	QName	Type	Fixed	Use	
	Version	cex:VersionType	1	required	
Source	<pre><xs:element name="Exportacion"> <xs:annotation> <xs:documentation>Definición Global de complemento de exportación</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="NombreConsignatarioODestinatario" id="SubTotalConDescuento"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="70"/> <xs:minLength value="1"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="DireccionConsignatarioODestinatario" minOccurs="1"> <xs:annotation></pre>				

```

<xs:documentation/>
</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:minLength value="1"/>
    <xs:maxLength value="70"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="CodigoConsignatarioODestinatario" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="17"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="NombreComprador" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="150"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="DireccionComprador" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="150"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="CodigoComprador" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="17"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="OtraReferencia" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="35"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="INCOTERM" type="cex:INCOTERMType"/>
<xs:element name="NombreExportador" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="70"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="CodigoExportador" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="17"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="Version" type="cex:VersionType" use="required" fixed="1"/>
</xs:complexType>
</xs:element>

```

Element cex:Exportacion / cex:NombreConsignatarioODestinatario

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0		
Diagram			
Type	restriction of xs:string		
Properties	content:	simple	

Facets	minLength	1
	maxLength	70
Source	<pre><xs:element name="NombreConsignatarioODestinatario" id="SubTotalConDescuento"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="70"/> <xs:minLength value="1"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element **cex:Exportacion** / **cex:DireccionConsignatarioODestinatario**

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Annotations		
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	1
Facets	minLength	1
	maxLength	70
Source	<pre><xs:element name="DireccionConsignatarioODestinatario" minOccurs="1"> <xs:annotation> <xs:documentation/> </xs:annotation> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="70"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element **cex:Exportacion** / **cex:CodigoConsignatarioODestinatario**


Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0
Facets	minLength	1
	maxLength	17
Source	<pre><xs:element name="CodigoConsignatarioODestinatario" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="17"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element **cex:Exportacion** / **cex:NombreComprador**

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple

	minOccurs:	0
Facets	minLength	1
	maxLength	150
Source	<pre><xs:element name="NombreComprador" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="150"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	


Element cex:Exportacion / cex:DireccionComprador

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0
	maxOccurs:	1
Facets	minLength	1
	maxLength	150
Source	<pre><xs:element name="DireccionComprador" minOccurs="0" maxOccurs="1"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="150"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element cex:Exportacion / cex:CodigoComprador

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0
Facets	minLength	1
	maxLength	17
Source	<pre><xs:element name="CodigoComprador" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="17"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element cex:Exportacion / cex:OtraReferencia

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0

Facets	minLength	1
	maxLength	35
Source	<pre><xs:element name="OtraReferencia" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="35"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element **cex:Exportacion** / **cex:INCOTERM**

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	cex:INCOTERMType	
Properties	content:	simple
Facets	enumeration	EXW
	enumeration	FCA
	enumeration	FAS
	enumeration	FOB
	enumeration	CFR
	enumeration	CIF
	enumeration	CPT
	enumeration	CIP
	enumeration	DDP
	enumeration	DAP
	enumeration	DAT
	enumeration	ZZZ
Source	<pre><xs:element name="INCOTERM" type="cex:INCOTERMType" /></pre>	

Element **cex:Exportacion** / **cex:NombreExportador**

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		
Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0
Facets	minLength	1
	maxLength	70
Source	<pre><xs:element name="NombreExportador" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="70"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	

Element **cex:Exportacion** / **cex:CodigoExportador**

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Diagram		

Type	restriction of xs:string	
Properties	content:	simple
	minOccurs:	0
Facets	minLength	1
	maxLength	17
Source	<pre><xs:element name="CodigoExportador" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:minLength value="1"/> <xs:maxLength value="17"/> </xs:restriction> </xs:simpleType> </xs:element></pre>	


Simple Type(s)

Simple Type cex:INCOTERMType


Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0	
Annotations	Catálogo Edifact	
Diagram		
Type	restriction of xs:token	
Facets	enumeration	EXW
	enumeration	FCA
	enumeration	FAS
	enumeration	FOB
	enumeration	CFR
	enumeration	CIF
	enumeration	CPT
	enumeration	CIP
	enumeration	DDP
	enumeration	DAP
	enumeration	DAT
	enumeration	ZZZ
Used by	Element	cex:Exportacion/cex:INCOTERM
Source	<pre><xs:simpleType name="INCOTERMType"> <xs:annotation> <xs:documentation>Catálogo Edifact</xs:documentation> </xs:annotation> <xs:restriction base="xs:token"> <xs:enumeration value="EXW"/> <xs:enumeration value="FCA"/> <xs:enumeration value="FAS"/> <xs:enumeration value="FOB"/> <xs:enumeration value="CFR"/> <xs:enumeration value="CIF"/> <xs:enumeration value="CPT"/> <xs:enumeration value="CIP"/> <xs:enumeration value="DDP"/> <xs:enumeration value="DAP"/> <xs:enumeration value="DAT"/> <xs:enumeration value="ZZZ"/> </xs:restriction> </xs:simpleType></pre>	

Simple Type cex:VersionType

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0
-----------	--

Diagram	
Type	restriction of xs:string
Facets	pattern [0-9]{1,3}
Used by	Attribute cex:Exportacion/@Version
Source	<pre> <xs:simpleType name="VersionType"> <xs:restriction base="xs:string"> <xs:pattern value="[0-9]{1,3}"> <xs:annotation> <xs:documentation>por ejemplo. x , donde x es numero entero de 0 a 999</xs:documentation> </xs:annotation> </xs:pattern> </xs:restriction> </xs:simpleType> </pre>

Simple Type cex:NonNegativeFloat

Namespace	http://www.sat.gob.gt/face2/ComplementoExportaciones/0.1.0
Annotations	Acepta cantidades mayores a 0
Diagram	
Type	restriction of xs:float
Facets	minInclusive 0
Source	<pre> <xs:simpleType name="NonNegativeFloat"> <xs:annotation> <xs:documentation>Acepta cantidades mayores a 0</xs:documentation> </xs:annotation> <xs:restriction base="xs:float"> <xs:minInclusive value="0"/> </xs:restriction> </xs:simpleType> </pre>

Namespace: ""

Attribute(s)

Attribute cex:Exportacion / @Version

Namespace	No namespace
Type	cex:VersionType
Properties	use: required
	fixed: 1
Facets	pattern [0-9]{1,3}
Used by	Element cex:Exportacion
Source	<pre> <xs:attribute name="Version" type="cex:VersionType" use="required" fixed="1"/> </pre>